

Mary's Transdermal Patch - Sleep - CBN - 20mg

METRC Sample: 1A406030006A9DD00000101; METRC Batch: 1A4060300001AF7000002589

Sample ID: 2405BSD0090.0498	Produced:	Distributor	Producer
Strain: Sleep - CBN - 20mg	Collected: 05/30/2024	BRB California LLC	RCW Manufacturing
Matrix: Topical	Received: 05/30/2024	Lic. # C11-0001897-LIC	Lic. # CDPH-10002341
Type: Transdermal Patch	Completed: 06/04/2024	15850 Little Morongo Rd.	15850 Little Morongo Rd. #C1
Sample Size: 13 units; Batch: 2,126 units	Batch#: MNP052224	Desert Hot Springs, CA 92240	Desert Hot Springs, CA 92240



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	05/31/2024	Complete
Residual Solvents	05/31/2024	Pass
Microbials	06/03/2024	Pass
Mycotoxins	05/31/2024	Pass
Pesticides	05/31/2024	Pass
Heavy Metals	06/03/2024	Pass
Foreign Matter	05/31/2024	Pass

Cannabinoids by HPLC-UV

Complete

ND	ND	0.00 mg/serving	20.59 mg/serving
Total THC	Total CBD	Total CBG	Overall Cannabinoids

Analyte	LOQ	LOD	Result	Result	Result	Result
	mg/g	mg/g	mg/g	%	mg/serving	mg/container
THCa	0.0024000	0.0008000	ND	ND	ND	ND
Δ9-THC	0.0039000	0.0013000	ND	ND	ND	ND
Δ8-THC	0.0031000	0.0010000	ND	ND	ND	ND
THCV	0.0040000	0.0013000	ND	ND	ND	ND
CBDa	0.0023000	0.0008000	ND	ND	ND	ND
CBD	0.0038000	0.0012000	ND	ND	ND	ND
CBN	0.0041000	0.0013000	23.40	2.340	20.59	20.59
CBG	0.0040000	0.0013000	ND	ND	ND	ND
CBC	0.0033000	0.0011000	ND	ND	ND	ND
Total THC			ND	ND	ND	ND
Total CBD			ND	ND	ND	ND
Total CBG			0.00	0.00	0.00	0.00
Total			23.40	2.34	20.59	20.59

Date Tested: 05/31/2024


1 serving(s) per container.

SOP ID: 3110; Instrumentation: Shimadzu Prominence LC-2030C Plus

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG


LOQ = Limit of Quantitation, LOD = Limit of Detection, NR = Not Reported, NT = Not Tested, ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control control samples performed within specifications established by the Laboratory.


Not Tested	NT Not Tested	Pass
Moisture Content by Moisture Balance (SOP ID 3810)	Water Activity by Hydrometer (SOP ID 3710)	Foreign Materials by Magnifying Glass (SOP ID 3020)




PJLA
Testing
Accreditation #97326
ISO/IEC 17025:2017 Accredited

 Hinaxi Patel, Technical Director

 Firas Tamy, Laboratory Director

 Erick Santos, QA Manager

 Susann Wiesmann, Analytical Chemist

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

Mary's Transdermal Patch - Sleep - CBN - 20mg

METRC Sample: 1A406030006A9DD00000101; METRC Batch: 1A4060300001AF7000002589

Sample ID: 2405BSD0090.0498

Produced:

Distributor

Producer

Strain: Sleep - CBN - 20mg

Collected: 05/30/2024

BRB California LLC
RCW Manufacturing

Matrix: Topical

Received: 05/30/2024

Lic. # C11-0001897-LIC

Lic. # CDPH-10002341

Type: Transdermal Patch

Completed: 06/04/2024

15850 Little Morongo Rd.

15850 Little Morongo Rd. #C1

Sample Size: 13 units; Batch: 2,126 units

Batch#: MNP052224

Desert Hot Springs, CA 92240

Desert Hot Springs, CA 92240

Pesticides by LCMS/MS & GCMS/MS

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.01	0.1	0.1	ND	Pass	Fludioxonil	0.01	0.1	0.1	ND	Pass
Acephate	0.01	0.1	0.1	ND	Pass	Hexythiazox	0.01	0.1	0.1	ND	Pass
Acequinocyl	0.01	0.1	0.1	ND	Pass	Imazalil	0.01	0.1	0.01	ND	Pass
Acetamiprid	0.01	0.1	0.1	ND	Pass	Imidacloprid	0.01	0.1	5	ND	Pass
Aldicarb	0.01	0.1	0.01	ND	Pass	Kresoxim Methyl	0.01	0.1	0.1	ND	Pass
Azoxystrobin	0.01	0.1	0.1	ND	Pass	Malathion	0.01	0.1	0.5	ND	Pass
Bifenazate	0.01	0.1	0.1	ND	Pass	Metalaxyl	0.01	0.1	2	ND	Pass
Bifenthrin	0.01	0.1	3	ND	Pass	Methiocarb	0.01	0.1	0.01	ND	Pass
Boscalid	0.01	0.1	0.1	ND	Pass	Methomyl	0.01	0.1	1	ND	Pass
Captan	0.01	0.1	0.7	ND	Pass	Mevinphos	0.01	0.1	0.01	ND	Pass
Carbaryl	0.01	0.1	0.5	ND	Pass	Myclobutanil	0.01	0.1	0.1	ND	Pass
Carbofuran	0.01	0.1	0.01	ND	Pass	Naled	0.01	0.1	0.1	ND	Pass
Chlorantraniliprole	0.01	0.1	10	ND	Pass	Oxamyl	0.01	0.1	0.5	ND	Pass
Chlordane	0.01	0.1	0.01	ND	Pass	Pacllobutrazol	0.01	0.1	0.01	ND	Pass
Chlorfenapyr	0.01	0.1	0.01	ND	Pass	Parathion Methyl	0.01	0.1	0.01	ND	Pass
Chlorpyrifos	0.01	0.1	0.01	ND	Pass	Pentachloronitrobenzene	0.01	0.1	0.1	ND	Pass
Clofentazine	0.01	0.1	0.1	ND	Pass	Permethrin	0.01	0.1	0.5	ND	Pass
Coumaphos	0.01	0.1	0.01	ND	Pass	Phosmet	0.01	0.1	0.1	ND	Pass
Cyfluthrin	0.01	0.1	2	ND	Pass	Piperonyl Butoxide	0.01	0.1	3	ND	Pass
Cypermethrin	0.01	0.1	1	ND	Pass	Prallethrin	0.01	0.1	0.1	ND	Pass
Daminozide	0.01	0.1	0.01	ND	Pass	Propiconazole	0.01	0.1	0.1	ND	Pass
Diazinon	0.01	0.1	0.1	ND	Pass	Propoxur	0.01	0.1	0.01	ND	Pass
Dichlorvos	0.01	0.1	0.01	ND	Pass	Pyrethrins	0.01	0.1	0.5	ND	Pass
Dimethoate	0.01	0.1	0.01	ND	Pass	Pyridaben	0.01	0.1	0.1	ND	Pass
Dimethomorph	0.01	0.1	2	ND	Pass	Spinetoram	0.01	0.1	0.1	ND	Pass
Ethoprophos	0.01	0.1	0.01	ND	Pass	Spinosad	0.01	0.1	0.1	ND	Pass
Etofenprox	0.01	0.1	0.01	ND	Pass	Spiromesifen	0.01	0.1	0.1	ND	Pass
Etoxazole	0.01	0.1	0.1	ND	Pass	Spirotetramat	0.01	0.1	0.1	ND	Pass
Fenhexamid	0.01	0.1	0.1	ND	Pass	Spiroxamine	0.01	0.1	0.01	ND	Pass
Fenoxycarb	0.01	0.1	0.01	ND	Pass	Tebuconazole	0.01	0.1	0.1	ND	Pass
Fenpyroximate	0.01	0.1	0.1	ND	Pass	Thiacloprid	0.01	0.1	0.01	ND	Pass
Fipronil	0.01	0.1	0.01	ND	Pass	Thiamethoxam	0.01	0.1	5	ND	Pass
Fonicamid	0.01	0.1	0.1	ND	Pass	Trifloxystrobin	0.01	0.1	0.1	ND	Pass

Date Tested: 05/31/2024

SOP ID: 3210; Instrumentation: LC MS/MS

SOP ID: 3310; Instrumentation: GC MS/MS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



 Hinaxi Patel
 Technical Director
 06/04/2024

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


ISO/IEC 17025:2017 Accredited

All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

Mary's Transdermal Patch - Sleep - CBN - 20mg

METRC Sample: 1A406030006A9DD000000101; METRC Batch: 1A4060300001AF7000002589

Sample ID: 2405BSD0090.0498	Produced:	Distributor	Producer
Strain: Sleep - CBN - 20mg	Collected: 05/30/2024	BRB California LLC	RCW Manufacturing
Matrix: Topical	Received: 05/30/2024	Lic. # C11-0001897-LIC	Lic. # CDPH-10002341
Type: Transdermal Patch	Completed: 06/04/2024	15850 Little Morongo Rd.	15850 Little Morongo Rd. #C1
Sample Size: 13 units; Batch: 2,126 units	Batch#: MNP052224	Desert Hot Springs, CA 92240	Desert Hot Springs, CA 92240

Microbials by qPCR/Microbial Agar Culture

Pass

Analyte	Results	Status
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 06/03/2024

SOP ID: 3010; Instrumentation: PathogenDx microarray qPCR

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory

Mycotoxins by LCMS/MS

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.5	1		ND	Tested
B2	0.5	1		ND	Tested
G1	0.5	1		ND	Tested
G2	0.5	1		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.5	1	20	ND	Pass

Date Tested: 05/31/2024

SOP ID: 3210; Instrumentation: LC MS/MS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals by ICP-MS

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0038	0.02	0.2	0.0504	Pass
Cadmium	0.0049	0.02	0.2	<LOQ	Pass
Lead	0.0017	0.04	0.5	0.0419	Pass
Mercury	0.0087	0.02	0.1	<LOQ	Pass

Date Tested: 06/03/2024

SOP ID: 3410; Instrumentation: ICP-MS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



 Hinaxi Patel
 Technical Director
 06/04/2024

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


ISO/IEC 17025:2017 Accredited
 All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

Mary's Transdermal Patch - Sleep - CBN - 20mg

METRC Sample: 1A406030006A9DD000000101; METRC Batch: 1A4060300001AF7000002589

Sample ID: 2405BSD0090.0498	Produced:	Distributor	Producer
Strain: Sleep - CBN - 20mg	Collected: 05/30/2024	BRB California LLC	RCW Manufacturing
Matrix: Topical	Received: 05/30/2024	Lic. # C11-0001897-LIC	Lic. # CDPH-10002341
Type: Transdermal Patch	Completed: 06/04/2024	15850 Little Morongo Rd.	15850 Little Morongo Rd. #C1
Sample Size: 13 units; Batch: 2,126 units	Batch#: MNP052224	Desert Hot Springs, CA 92240	Desert Hot Springs, CA 92240

Residual Solvents by GCMS/MS & GC-FID

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.0096	0.029	1	ND	Pass
Acetone	0.6879	2.0845	5000	<LOQ	Pass
Acetonitrile	1.223	3.7061	410	ND	Pass
Benzene	0.0116	0.0352	1	ND	Pass
Butane	0.2369	0.718	5000	ND	Pass
Chloroform	0.0089	0.0269	1	ND	Pass
Ethanol	1.278	3.8728	5000	9.959	Pass
Ethyl-Acetate	0.7236	2.1928	5000	ND	Pass
Ethyl-Ether	1.8144	5.4981	5000	ND	Pass
Ethylene Oxide	0.0165	0.0501	1	ND	Pass
Heptane	0.6242	1.8916	5000	ND	Pass
Isopropanol	1.6079	4.8723	5000	42.451	Pass
Methanol	1.3447	4.075	3000	9.010	Pass
Methylene-Chloride	0.0152	0.046	1	ND	Pass
n-Hexane	0.6206	1.8807	290	ND	Pass
Pentane	0.7555	2.2895	5000	ND	Pass
Propane	0.2218	0.6721	5000	ND	Pass
Toluene	0.9906	3.002	890	ND	Pass
Trichloroethene	0.0096	0.029	1	ND	Pass
Xylenes	1.7346	5.2563	2170	ND	Pass

Date Tested: 05/31/2024

SOP ID: 3510; Instrumentation: HS-GCMS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



 Hinaxi Patel
 Technical Director
 06/04/2024

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.